



Fasteners, Cutting Tools, and Shop Supplies

Chapter 1 CAP SCREWS, BOLTS STUDS & RODS

For the complete catalog visit our website at
www.BeltwaySupply.com

Beltway Supply, Inc.
7432 Alban Station
Suite B236
Springfield, VA 22150

Office [703] 372-5520
Toll Free [877] 216-7822
Fax [703] 372-5521
info@beltwaysupply.com



Table of Contents

By section

CAP SCREWS,BOLTS STUDS & RODS	1
NUTS & WASHERS	2
SCREWS	3
PINS, RINGS, & RIVETS	4
CONSTRUCTION FASTENERS	5
STAINLESS STEEL FASTENERS	6
BRASS FASTENERS	7
METRIC FASTENERS	8
CHAIN, CABLE, WIRE, HARDWARE BRACKETS, U-BOLTS	9
ELECTRICAL TERMINALS & ACCESSORIES	10
FITTINGS & HOSE TIRE HARDWRE, O-RINGS	
CUTTING TOOLS	12
ABRASIVES	13
CHEMICALS	14
SAFTEY PRODUCTS	15
TOOLS	16

Section 1: Cap Screws & Bolts

Table of Contents

Cap Screws

Hex Head, *Grade 8 USS & SAE* 3-6
 Hex Head, *Grade 5 USS & SAE* 8-12

Nuts & Washers

Grade 8, *for use with Grade 8 Bolts* 7
 Grade 2, *for use with Grade 5 Bolts* 13

Bolts

Hex Head Tap Bolts, *Grade 2 USS*..... 14
 Hex Head Lag Bolts 15
 Eye Bolts 16
 Acoustical Lag Bolts 16
 Hanger Bolts 16
 Elevator Bolts 16
 Carriage Bolts, *Grade 2 USS* 17-18
 Shaker Screen Bolts, *Grade 5 USS* 19
 #3 Head Plow Bolts 20
 Frame Bolts & Nuts 21

Studs & Rods

Manifold Studs 22
 Threaded Rod, *Grade 2 - Zinc Plated* 23
 Threaded Rod, *B7 - Alloy Steel* 23

Socket Screws


Socket Head Cap Screws 24-26
 Flat Socket Head Cap Screws 27
 Button Socket Head Cap Screws 28
 Socket Set Screws, *Cup Point* 29-30
 Socket Set Screws, *Knurl Point* 31
 Socket Set Screws, *Cone Point* 32
 Socket Set Screws, *Half Dog Point* 32

Faskit Assortments 33-34

HEX HEAD CAP SCREWS

DOMESTIC - GRADE 8 ALLOY STEEL

Plating: Zinc Yellow Chromate



USA / CANADA

Dia	Length	Part #		Qty	
		USS	SAE		
1/4 -20 USS -28 SAE Thread	1/2	05301	05101	100	
	5/8	05302	05102	100	
	3/4	05303	05103	100	
	7/8	05304	05104	100	
	1	05305	05105	100	
	1-1/4	05306	05106	100	
	1-1/2	05307	05107	100	
	1-3/4	05308	05108	100	
	2	05309	05109	100	
	2-1/4	05310	05110	50	
	2-1/2	05311	05111	50	
	2-3/4	05312	05112	50	
	3	05313	05113	50	
	3-1/4	05314	05114	50	
	3-1/2	05315	05115	50	
	3-3/4	05316	05116	50	
	4	05317	05117	50	
	4-1/2	05318	05118	25	
	5	05319	05119	25	
	5-1/2	05320	05120	25	
	6	05321	05121	25	
	5/16 -18 USS -24 SAE Thread	1/2	05322	05122	100
		5/8	05323	05123	100
		3/4	05324	05124	100
7/8		05325	05125	100	
1		05326	05126	100	
1-1/4		05327	05127	100	
1-1/2		05328	05128	100	
1-3/4		05329	05129	100	
2		05330	05130	100	
2-1/4		05331	05131	50	
2-1/2		05332	05132	50	
2-3/4		05333	05133	50	

Dia	Length	Part #		Qty
		USS	SAE	
5/16 -18 USS -24 SAE Thread	3	05334	05134	50
	3-1/4	05335	05135	50
	3-1/2	05336	05136	50
	3-3/4	05337	05137	50
	4	05338	05138	50
	4-1/2	05339	05139	25
	5	05340	05140	25
	5-1/2	05341	05141	25
	6	05342	05142	25
	3/8 -16 USS -24 SAE Thread	1/2	05343	05143
5/8		05344	05144	100
3/4		05345	05145	100
7/8		05346	05146	100
1		05347	05147	100
1-1/4		05348	05148	100
1-1/2		05349	05149	100
1-3/4		05350	05150	100
2		05351	05151	100
2-1/4		05352	05152	50
2-1/2		05353	05153	50
2-3/4		05354	05154	50
3		05355	05155	50
3-1/4		05356	05156	50
3-1/2		05357	05157	50
3-3/4		05358	05158	50
4		05359	05159	50
4-1/2		05360	05160	25
5		05361	05161	25
5-1/2		05362	05162	25
6	05363	05163	25	
7	05363B	05163B	10	
8	05363D	05163D	10	

Meets or Exceeds:


Standard Specifications ASTM A354

- » Traceable.
- » Double heat treated.
- » Available in full case & keg quantities.

HEX HEAD CAP SCREWS

DOMESTIC - GRADE 8 ALLOY STEEL

Plating: Zinc Yellow Chromate



USA / CANADA

Dia	Length	Part #		Qty
		USS	SAE	
7/16 -14 USS -20 SAE Thread	3/4	05364	05164	50
	7/8	05365	05165	50
	1	05366	05166	50
	1-1/4	05367	05167	50
	1-1/2	05368	05168	50
	1-3/4	05369	05169	50
	2	05370	05170	50
	2-1/4	05371	05171	25
	2-1/2	05372	05172	25
	2-3/4	05373	05173	25
	3	05374	05174	25
	3-1/4	05375	05175	25
	3-1/2	05376	05176	25
	3-3/4	05377	05177	25
	4	05378	05178	25
	4-1/2	05379	05179	25
	5	05380	05180	25
	5-1/2	05381	05181	25
	6	05382	05182	25
	1/2 -13 USS -20 SAE Thread	3/4	05383	05183
7/8		05384	05184	50
1		05385	05185	50
1-1/4		05386	05186	50
1-1/2		05387	05187	50
1-3/4		05388	05188	50
2		05389	05189	50
2-1/4		05390	05190	25
2-1/2		05391	05191	25
2-3/4		05392	05192	25
3		05393	05193	25
3-1/4		05394	05194	25
3-1/2		05395	05195	25
3-3/4		05396	05196	25
4		05397	05197	25
4-1/2		05398	05198	25
5		05399	05199	25
5-1/2		05400	05200	25


Dia	Length	Part #		Qty
		USS	SAE	
1/2 -13 USS -20 SAE Thread	6	05401	05201	25
	6-1/2	05401A	05201A	25
	7	07341	06541	10
	7-1/2	07341A	06541A	10
	8	07342	06542	10
	9	07342A	06542A	10
	10	07342B	06542B	10
9/16 -12 USS -18 SAE Thread	1	05402	05202	25
	1-1/4	05403	05203	25
	1-1/2	05404	05204	25
	1-3/4	05405	05205	25
	2	05406	05206	25
	2-1/4	05407	05207	25
	2-1/2	05408	05208	25
	2-3/4	05409	05209	25
	3	05410	05210	25
	3-1/4	05411	05211	25
	3-1/2	05412	05212	25
	3-3/4	05413	05213	25
	4	05414	05214	25
	4-1/2	05415	05215	25
	5	05416	05216	25
	5-1/2	05417	05217	25
6	05418	05218	25	

- » Traceable.
- » Double heat treated.
- » Available in full case & keg quantities.

HEX HEAD CAP SCREWS

DOMESTIC - GRADE 8 ALLOY STEEL

Plating: Zinc Yellow Chromate



USA / CANADA


Dia	Length	Part #		Qty
		USS	SAE	
5/8 -11 USS -18 SAE Thread	1	05419	05219	25
	1-1/4	05420	05220	25
	1-1/2	05421	05221	25
	1-3/4	05422	05222	25
	2	05423	05223	25
	2-1/4	05424	05224	25
	2-1/2	05425	05225	25
	2-3/4	05426	05226	25
	3	05427	05227	25
	3-1/4	05428	05228	25
	3-1/2	05429	05229	25
	3-3/4	05430	05230	25
	4	05431	05231	25
	4-1/2	05432	05232	25
	5	05433	05233	25
	5-1/2	05434	05234	25
	6	05435	05235	25
	6-1/2	05435A	05235A	10
	7	07343	06543	10
	7-1/2	07344	06544	10
8	07345	06545	10	
9	07346	06546	10	
10	07346A	06546A	10	
3/4 -10 USS -16 SAE Thread	1	05435X	05235X	25
	1-1/4	05436	05236	25
	1-1/2	05437	05237	25
	1-3/4	05438	05238	25
	2	05439	05239	25
	2-1/4	05440	05240	25
	2-1/2	05441	05241	25
	2-3/4	05442	05242	25
	3	05443	05243	25
	3-1/4	05444	05244	25
	3-1/2	05445	05245	25
	3-3/4	05446	05246	25

Dia	Length	Part #		Qty
		USS	SAE	
3/4 -10 USS -16 SAE Thread	4	05447	05247	25
	4-1/2	05448	05248	10
	5	05449	05249	10
	5-1/2	05450	05250	10
	6	05451	05251	10
	6-1/2	07347	06547	10
	7	07348	06548	10
	7-1/2	07349	06549	10
	8	07350	06550	10
	9	07351	06551	10
10	07351A	06551A	10	
7/8 - 9 USS -14 SAE Thread	1-1/2	05452	05252	15
	1-3/4	05452A	05252A	15
	2	05453	05253	15
	2-1/4	05453A	05253A	15
	2-1/2	05454	05254	15
	2-3/4	05454A	05254A	15
	3	05455	05255	15
	3-1/4	05455A	05255A	15
	3-1/2	05456	05256	15
	3-3/4	05456A	05256A	15
	4	05457	05257	15
	4-1/2	05458	05258	10
	5	05459	05259	10
	5-1/2	05460	05260	10
	6	05461	05261	10
	6-1/2	07352	06552	10
	7	07353	06553	10
	7-1/2	07354	06554	10
8	07355	06555	10	
9	07356	06556	10	
10	07356A	06556A	10	

HEX HEAD CAP SCREWS

DOMESTIC - GRADE 8 ALLOY STEEL

Plating: Zinc Yellow Chromate



USA / CANADA

Dia	Length	Part #		Qty
		USS	SAE	
1" - 8 USS -14 SAE Thread	1-1/2	05461X	05261X	10
	1-3/4	05461Y	05261Y	10
	2	05462	05262	10
	2-1/4	05462A	05262A	10
	2-1/2	05463	05263	10
	2-3/4	05463A	05263A	10
	3	05464	05264	10
	3-1/4	05464A	05264A	10
	3-1/2	05465	05265	10
	3-3/4	05465A	05265A	10
	4	05466	05266	10
	4-1/2	05467	05267	10
	5	05468	05268	10
	5-1/2	05469	05269	10
	6	05470	05270	10
	6-1/2	07357	06557	10
	7	07358	06558	10
	7-1/2	07359	06559	10
	8	07360	06560	5
	8-1/2	07361	06561	5
9	07362	06562	1	
10	07363	06563	1	
1-1/8 - 7 USS -12 SAE Thread	2-1/2	07363X	06563X	1
	3	07364	06564	1
	3-1/2	07365	06565	1
	4	07366	06566	1
	4-1/2	07366A	06566A	1
	5	07367	06567	1
	5-1/2	07367A	06567A	1
	6	07368	06568	1
	6-1/2	07368A	06568A	1
	7	07369	06569	1
7-1/2	07369A	06569A	1	
8	07370	06570	1	

Dia	Length	Part #		Qty
		USS	SAE	
1-1/4 - 7 USS -12 SAE Thread	2-1/2	07370X	06570X	1
	3	07371	06571	1
	3-1/2	07371A	06571A	1
	4	07372	06572	1
	4-1/2	07373	06573	1
	5	07374	06574	1
	5-1/2	07374A	06574A	1
	6	07375	06575	1
	6-1/2	07375A	06575A	1
	7	07376	06576	1
	7-1/2	07376A	06576A	1
	8	07377	06577	1
	9	07378	06578	1
10	07379	06579	1	
1-1/2 - 6 USS -12 SAE Thread	4	07804	—	1
	5	07806	—	1
	6	07808	—	1
	7	07810	—	1
	8	07812	—	1
	9	07813	—	1
	10	07814	—	1
12	07816	—	1	

- » Traceable.
- » Double heat treated.
- » Available in full case & keg quantities.

FINISHED HEX NUTS

GRADE 8 ALLOY STEEL

For Use With Grade 8 Cap Screws
Plating: Zinc Yellow Chromate



- » Engineered specifically to match high torque requirements of alloy high tensile strength cap screws.
- » Manufactured on automatic nut forgers.
- » Cold formed for more dense grain structure.
- » Special high carbon steel.
- » Double heat treated.


Size	Part #		Qty
	USS	SAE	
1/4	07684	07672	100
5/16	07685	07673	100
3/8	07686	07674	100
7/16	07687	07675	100
1/2	07688	07676	100
9/16	07689	07677	50
5/8	07690	07678	50
3/4	07691	07679	50
7/8	07692	07680	50
1	07693	07681	25
1-1/8	07694	07682	25
1-1/4	07695	07683	25
1-3/8	07695A	07683A	10
1-1/2	07695B	07683B	10

*** SEE SECTION 2 FOR COMPLETE LISTING OF NUTS ***

ALLOY STEEL FLAT & LOCK WASHERS

FOR USE WITH GRADE 8 CAP SCREWS & NUTS

Plating: Zinc Yellow Chromate




Flat Washers

Size	Part #		Qty
	USS	SAE	
1/4	35468	39671	100
5/16	35469	39672	100
3/8	35470	39673	100
7/16	35471	39674	100
1/2	35472	39675	100
9/16	35473	39676	50
5/8	35474	39677	50
3/4	35475	39678	50
7/8	35476	39679	25
1	35477	39680	25
1-1/8	35478	39681	25
1-1/4	35479	39681A	25
1-1/2	35480	39681B	25

Lock Washers

Size	Part #	Qty
1/4	00250	100
5/16	00251	100
3/8	00252	100
7/16	00253	100
1/2	00254	100
9/16	00255	50
5/8	00256	50
3/4	00257	50
7/8	00258	25
1	00259	25
1-1/8	00260	25
1-1/4	00261	25
1-1/2	00262	25




*** SEE SECTION 2 FOR COMPLETE LISTING OF WASHERS ***

HEX HEAD CAP SCREWS

DOMESTIC - GRADE 5

Plating: Zinc



USA / CANADA

Dia	Length	Part #		Qty	
		USS	SAE		
1/4 -20 USS -28 SAE Thread	1/2	37001	35901	100	
	5/8	37002	35902	100	
	3/4	37003	35903	100	
	7/8	37004	35904	100	
	1	37005	35905	100	
	1-1/4	37006	35906	100	
	1-1/2	37007	35907	100	
	1-3/4	37008	35908	100	
	2	37009	35909	100	
	2-1/4	37010	35910	50	
	2-1/2	37011	35911	50	
	2-3/4	37012	35912	50	
	3	37013	35913	50	
	3-1/4	37014	35914	50	
	3-1/2	37015	35915	50	
	3-3/4	37015A	35915A	50	
	4	37015B	35915B	50	
	4-1/2	37015C	35915C	25	
	5	37015D	35915D	25	
	5-1/2	37015E	35915E	25	
	6	37015F	35915F	25	
	7	37015H	35915H	25	
	8	37015J	35915J	25	
	5/16 -18 USS -24 SAE Thread	1/2	37016	35916	100
		5/8	37017	35917	100
		3/4	37018	35918	100
		7/8	37019	35919	100
		1	37020	35920	100
1-1/4		37021	35921	100	
1-1/2		37022	35922	100	
1-3/4		37023	35923	100	
2		37024	35924	100	
2-1/4		37025	35925	50	
2-1/2		37026	35926	50	
2-3/4		37027	35927	50	

- » Traceable.
- » Double heat treated.
- » Available in full case & keg quantities.
- » High tensile strength


Dia	Length	Part #		Qty
		USS	SAE	
5/16 -18 USS -24 SAE Thread	3	37028	35928	50
	3-1/4	37029	35929	50
	3-1/2	37030	35930	50
	3-3/4	37030A	35930A	50
	4	37031	35931	50
	4-1/2	37032	35932	25
	5	37033	35933	25
	5-1/2	37033A	35933A	25
	6	37033B	35933B	25
	3/8 -16 USS -24 SAE Thread	1/2	37034	35934
5/8		37035	35935	100
3/4		37036	35936	100
7/8		37037	35937	100
1		37038	35938	100
1-1/4		37039	35939	100
1-1/2		37040	35940	100
1-3/4		37041	35941	100
2		37042	35942	100
2-1/4		37043	35943	50
2-1/2		37044	35944	50
2-3/4		37045	35945	50
3		37046	35946	50
3-1/4		37047	35947	50
3-1/2		37048	35948	50
3-3/4		37049	35949	50
4		37050	35950	50
4-1/2		37051	35951	25
5		37052	35952	25
5-1/2		37053	35953	25
6	37054	35954	25	
6-1/2	37054A	35954A	10	
7	37054B	35954B	10	
7-1/2	37054X	—	10	
8	37054C	35954C	10	
9	37054D	35954D	10	
10	37054E	35954E	10	

- » Finished washer face.
- » Class 2A before plating.

HEX HEAD CAP SCREWS

DOMESTIC - GRADE 5

Plating: Zinc



USA / CANADA

Dia	Length	Part #		Qty
		USS	SAE	
7/16 -14 USS -20 SAE Thread	3/4	37055	35955	50
	7/8	37056	35956	50
	1	37057	35957	50
	1-1/4	37058	35958	50
	1-1/2	37059	35959	50
	1-3/4	37060	35960	50
	2	37061	35961	50
	2-1/4	37062	35962	25
	2-1/2	37063	35963	25
	2-3/4	37064	35964	25
	3	37065	35965	25
	3-1/4	37066	35966	25
	3-1/2	37067	35967	25
	3-3/4	37068	35968	25
	4	37069	35969	25
	4-1/2	37070	35970	25
	5	37071	35971	25
	5-1/2	37072	35972	25
	6	37073	35973	25
	1/2 -13 USS -20 SAE Thread	3/4	37074	35974
7/8		37075	35975	50
1		37076	35976	50
1-1/4		37077	35977	50
1-1/2		37078	35978	50
1-3/4		37079	35979	50
2		37080	35980	50
2-1/4		37081	35981	25
2-1/2		37082	35982	25
2-3/4		37083	35983	25
3		37084	35984	25
3-1/4		37085	35985	25
3-1/2		37086	35986	25
3-3/4	37087	35987	25	


Dia	Length	Part #		Qty
		USS	SAE	
1/2 -13 USS -20 SAE Thread	4	37088	35988	25
	4-1/2	37089	35989	25
	5	37090	35990	25
	5-1/2	37091	35991	25
	6	37092	35992	25
	6-1/2	37093	35993	25
	7	37094	35994	25
	7-1/2	37095	35995	25
	8	37096	35996	25
	8-1/2	37097	35997	25
9/16 -12 USS -18 SAE Thread	9	37098	35998	25
	10	37099	35999	25
	1	38700	38750	25
	1-1/4	38701	38751	25
	1-1/2	38702	38752	25
	1-3/4	38703	38753	25
	2	38704	38754	25
	2-1/4	38705	38755	25
	2-1/2	38706	38756	25
	2-3/4	38707	38757	25
	3	38708	38758	25
	3-1/4	38709	38759	25
	3-1/2	38710	38760	25
	3-3/4	38711	38761	25
	4	38712	38762	25
	4-1/2	38713	38763	25
	5	38714	38764	25
	5-1/2	38715	38765	25
6	38716	38766	25	

- » Traceable.
- » Double heat treated.
- » Available in full case & keg quantities.

HEX HEAD CAP SCREWS

DOMESTIC - GRADE 5

Plating: Zinc



USA / CANADA

Dia	Length	Part #		Qty
		USS	SAE	
5/8 -11 USS -18 SAE Thread	1	37100	36000	25
	1-1/4	37101	36001	25
	1-1/2	37102	36002	25
	1-3/4	37103	36003	25
	2	37104	36004	25
	2-1/4	37105	36005	25
	2-1/2	37106	36006	25
	2-3/4	37107	36007	25
	3	37108	36008	25
	3-1/4	37109	36009	25
	3-1/2	37110	36010	25
	3-3/4	37111	36011	25
	4	37112	36012	25
	4-1/2	37113	36013	25
	5	37114	36014	25
	5-1/2	37115	36015	25
	6	37116	36016	25
	6-1/2	37117	36017	25
	7	37118	36018	25
	7-1/2	37119	36019	25
	8	37120	36020	25
	8-1/2	37121	36021	25
	9	37122	36022	25
	10	37123	36023	25
11	37124	36024	25	
12	37125	36025	25	


Dia	Length	Part #		Qty
		USS	SAE	
3/4 -10 USS -16 SAE Thread	1	37126	36026	25
	1-1/4	37127	36027	25
	1-1/2	37128	36028	25
	1-3/4	37129	36029	25
	2	37130	36030	25
	2-1/4	37131	36031	25
	2-1/2	37132	36032	25
	2-3/4	37133	36033	25
	3	37134	36034	25
	3-1/4	37135	36035	25
	3-1/2	37136	36036	25
	3-3/4	37137	36037	25
	4	37138	36038	25
	4-1/2	37139	36039	10
	5	37140	36040	10
	5-1/2	37141	36041	10
	6	37142	36042	10
	6-1/2	37143	36043	10
	7	37144	36044	10
	7-1/2	37145	36045	10
	8	37146	36046	10
	8-1/2	37147	36047	5
	9	37148	36048	5
	10	37149	36049	1
11	37150	36050	1	
12	37151	36051	1	

- » Traceable.
- » Double heat treated.
- » Available in full case & keg quantities.

HEX HEAD CAP SCREWS

DOMESTIC - GRADE 5

Plating: Zinc



USA / CANADA

Dia	Length	Part #		Qty
		USS	SAE	
7/8 - 9 USS -14 SAE Thread	1-1/2	37154	36054	15
	1-3/4	37155	36055	15
	2	37156	36056	15
	2-1/4	37157	36057	15
	2-1/2	37158	36058	15
	2-3/4	37159	36059	15
	3	37160	36060	15
	3-1/4	37161	36061	15
	3-1/2	37162	36062	15
	3-3/4	37163	36063	15
	4	37164	36064	15
	4-1/2	37165	36065	10
	5	37166	36066	10
	5-1/2	37167	36067	10
	6	37168	36068	10
	6-1/2	37168A	36068A	10
	7	37169	36069	10
	7-1/2	37169A	36069A	10
	8	37170	36070	10
	9	37171	36071	5
10	37172	36072	5	
11	37173	—	1	
12	37174	—	1	


Dia	Length	Part #		Qty
		USS	SAE	
1" - 8 USS -14 SAE Thread	1-1/2	37175	36075	10
	1-3/4	37176	36076	10
	2	37177	36077	10
	2-1/4	37178	36078	10
	2-1/2	37179	36079	10
	2-3/4	37180	36080	10
	3	37181	36081	10
	3-1/4	37182	36082	10
	3-1/2	37183	36083	10
	3-3/4	37184	36084	10
	4	37185	36085	10
	4-1/2	37186	36086	10
	5	37187	36087	10
	5-1/2	37188	36088	10
	6	37189	36089	10
	6-1/2	37190	36090	10
	7	37191	36091	10
	7-1/2	37191A	36091A	10
	8	37192	36092	10
	9	37193	36093	5
10	37194	36094	5	
11	37195	—	1	
12	37196	—	1	

- » Traceable.
- » Double heat treated.
- » Available in full case & keg quantities.

HEX HEAD CAP SCREWS

DOMESTIC - GRADE 5

Plating: Zinc



USA / CANADA

Dia	Length	Part #		Qty
		USS	SAE	
1-1/8 - 7 USS -12 SAE Thread	2-1/2	05709	05710	10
	3	05711	05712	10
	3-1/2	05711A	05712A	10
	4	05713	05714	10
	4-1/2	05713A	05714A	10
	5	05715	05716	10
	5-1/2	05715A	05716A	10
	6	05717	05718	10
	6-1/2	05717A	05718A	10
	7	05719	05720	10
	7-1/2	05719A	05720A	10
	8	05721	05722	10
	9	05723	05724	5
	10	05725	05726	5
	11	05727	—	1
	12	05729	—	1
1-1/4 - 7 USS -12 SAE Thread	2-1/2	05729A	05730A	5
	3	05731	05732	5
	3-1/2	05731A	05732A	5
	4	05733	05734	5
	4-1/2	05733A	05734A	5
	5	05735	05736	5
	5-1/2	05735A	05736A	5
	6	05737	05738	5
	6-1/2	05737A	05738A	5
	7	05739	05740	5
	7-1/2	05739A	05740A	5
	8	05741	05742	5
	9	05743	05744	5
	10	05745	05746	5
	11	05747	—	1
	12	05749	—	1

Dia	Length	Part #		Qty
		USS	SAE	
1-1/2 - 6 USS -12 SAE Thread	4	07904	—	1
	5	07906	—	1
	6	07908	—	1
	7	07910	—	1
	8	07912	—	1
	9	07913	—	1
	10	07914	—	1
	12	07916	—	1

FINISHED HEX NUTS

FOR USE WITH GRADE 5 CAP SCREWS

Plating: Zinc



- » Engineered specifically to match high torque requirements of grade 5 tensile strength cap screws.
- » Manufactured on automatic nut forgers.
- » Cold formed for more dense grain structure.
- » Special high carbon steel.
- » Double heat treated.


*** SEE SECTION 2 FOR LISTING OF NUTS ***

Size	Part #		Qty
	USS	SAE	
1/4	00313	00306	100
5/16	00314	00307	100
3/8	00315	00308	100
7/16	00316	00309	100
1/2	00317	00310	100
9/16	00318	00311	50
5/8	00319	00312	50
3/4	00319A	00312A	50
7/8	00319B	00312B	50
1	00319C	00312C	10
1-1/8	00319D	00312D	5
1-1/4	00319E	00312E	5
1-3/8	00319G	00312G	5
1-1/2	00319F	00312F	5

FLAT & LOCK WASHERS

FOR USE WITH GRADE 5 CAP SCREWS & NUTS

Plating: Zinc




Flat Washers

Size	Part #		Qty
	USS	SAE	
1/4	00367	00359	100
5/16	00368	00360	100
3/8	00369	00361	100
7/16	00370	00362	100
1/2	00371	00363	100
9/16	00372	00364	100
5/8	00373	00365	100
3/4	00373A	00365A	50
7/8	00373B	00365B	50
1	00373C	00365C	25
1-1/8	00373D	00365D	25
1-1/4	00373E	00365E	25
1-1/2	00373F	00365F	25

Lock Washers

Size	Part #	Qty
1/4	00377	100
5/16	00378	100
3/8	00379	100
7/16	00380	100
1/2	00381	100
9/16	00382	100
5/8	00383	100
3/4	00384	100
7/8	00384A	50
1	00384B	50
1-1/8	00384C	25
1-1/4	00384D	25
1-1/2	00384E	25




*** SEE SECTION 2 FOR COMPLETE LISTING OF WASHERS ***

HEX HEAD TAP BOLTS

GRADE 2 - USS

Threaded To The Head - Plating: Zinc




Dia	Length	Part #	Qty
1/4 -20 USS Thread	1	03000	100
	1-1/4	03001	100
	1-1/2	03002	100
	2	03003	100
	2-1/2	03004	100
	3	03005	50
	3-1/2	03006	50
	4	03007	25
	5	03008	25
	6	03009	25
5/16 -18 USS Thread	1	03010	100
	1-1/4	03011	100
	1-1/2	03012	50
	2	03013	50
	2-1/2	03014	50
	3	03015	50
	3-1/2	03016	50
	4	03017	25
3/8 -16 USS Thread	1	03020	50
	1-1/2	03021	50
	2	03022	50
	2-1/2	03023	25
	3	03024	25
	3-1/2	03025	25
	4	03026	25
1/2 -13 USS Thread	1-1/2	03029	25
	1-3/4	03030	25
	2	03031	25
	2-1/2	03032	25
	3	03033	25
	3-1/2	03034	25
	4	03035	25
	5	03036	25
6	03037	25	

- » Finished washer face.
- » Chamfered point.
- » Class 2a thread before plating.

HEX HEAD LAG BOLTS

Plating: Zinc



Dia	Length	Part #	Qty	
1/4	1	1416L	100	
	1-1/4	1420L	100	
	1-1/2	1424L	100	
	1-3/4	1428L	100	
	2	1432L	100	
	2-1/2	1440L	100	
	2-3/4	1444L	100	
	3	1448L	50	
	3-1/2	1456L	50	
	4	1464L	50	
	4-1/2	1472L	50	
	5	1480L	25	
	5-1/2	1488L	25	
	6	1496L	25	
	5/16	1	3116L	100
		1-1/4	3120L	100
		1-1/2	3124L	100
		1-3/4	3128L	100
2		3132L	100	
2-1/2		3140L	100	
3		3148L	50	
3-1/2		3156L	50	
4		3164L	25	
4-1/2		3172L	25	
5		3180L	25	
5-1/2		3188L	25	
6		3196L	25	

Dia	Length	Part #	Qty
3/8	1	3716L	100
	1-1/4	3720L	100
	1-1/2	3724L	100
	1-3/4	3728L	100
	2	3732L	50
	2-1/2	3740L	50
	3	3748L	50
	3-1/2	3756L	50
	4	3764L	25
	4-1/2	3772L	25
	5	3780L	25
	5-1/2	3788L	25
	6	3796L	15
	6-1/2	37104L	15
	7	37112L	10
	8	37128L	10
	10	37160L	10
	12	37192L	10
1/2	1-1/2	5024L	25
	1-3/4	5028L	25
	2	5032L	25
	2-1/2	5040L	25
	3	5048L	15
	3-1/2	5056L	15
	4	5064L	15
	4-1/2	5072L	15
	5	5080L	10
	5-1/2	5088L	10
	6	5096L	10
	6-1/2	50104L	10
	7	50112L	10
	8	50128L	10
	9	50144L	10
	10	50160L	10
	11	50176L	10
	12	50192L	10

Dia	Length	Part #	Qty	
5/8	2	6232L	15	
	2-1/2	6240L	15	
	3	6248L	15	
	3-1/2	6256L	15	
	4	6264L	15	
	4-1/2	6272L	15	
	5	6280L	10	
	5-1/2	6288L	10	
	6	6296L	10	
	7	62112L	10	
	8	62128L	10	
	9	62144L	10	
	10	62160L	10	
	11	62176L	10	
	12	62192L	10	
	3/4	2-1/2	7540L	10
		3	7548L	10
		3-1/2	7556L	10
4		7564L	10	
4-1/2		7572L	10	
5		7580L	10	
6		7596L	10	
7		75112L	10	
8		75128L	10	
10		75160L	10	
12		75192L	10	

EYE BOLTS

Plating: Zinc

Machine Thread

Dia.	Length	Part #	Qty
3/16-24	1	C-1	10
	2	C-3	10
1/4-20	1	E-1	10
	2	E-3	10
	2-1/2	E-4	10
	3	E-5	10
	4	E-7	10
5/16-18	2	F-2	10
	3	F-4	10
	4	F-6	10
	5	F-7	10
3/8-16	2-1/2	G-3	10
	4	G-6	10
	6	G-8	10

Lag Thread

Dia.	Length	Part #	Qty
1/4	2-3/4	LS1	10
	4	LS2	10
5/16	2-3/4	LS3	10
	4-3/4	LS4	10
3/8	3	LS5	10
	6	LS6	10
1/2	3-1/2	LS7	10



Acoustical Lag

Dia.	Length	Part #	Qty
1/4	3	03950	50



HANGER BOLTS & ELEVATOR BOLTS


Plating: Zinc

Hanger Bolts

Dia.	Length	Part #	Qty
10-24	1-1/2	37802	100
	2	37803	100
1/4-20	1-1/2	37804	100
	2	37805	100
	3	37807	100
5/16-18	1-1/2	37808	50
	2	37809	50
	2-1/2	37810	50
	3	37811	50
3/8-16	2-1/2	37812	50
	3	37813	50

Elevator Bolts


Dia.	Length	Part #	Qty
1/4-20	3/4	06787	100
	1	06788	100
	1-1/4	06789	100
	1-1/2	06790	100
	1-3/4	06791	100
	2	06792	100
5/16-18	1	06795	50
	1-1/4	06795	50
	1-1/2	06797	50
	1-3/4	06798	50
	2	06799	50
	2-1/2	06801	50
3/8-16	1	06802	50
	1-1/4	06803	50
	1-1/2	06804	50
	1-3/4	06805	50
	2	06806	50
	2-1/2	06808	50
	3	06809	50



CARRIAGE BOLTS

GRADE 2

Uss Threads - Without Nuts - Plating: Zinc




Dia	Length	Part #	Qty
# 10 -24 USS Thread	3/4	00334	100
	1	00335	100
	1-1/4	00336	100
	1-1/2	00337	100
	2	01509	100
	2-1/2	01510	100
1/4 -20 USS Thread	3	01511	100
	3/4	00338	100
	1	00339	100
	1-1/4	00340	100
	1-1/2	00341	100
	1-3/4	06685	100
	2	00342	100
	2-1/4	06686	50
	2-1/2	01512	50
	2-3/4	06687	50
	3	01513	50
	3-1/2	01514	25
	4	01515	25
	4-1/2	06688	25
	5	06689	25
5-1/2	06690	25	
6	06691	25	
7	06691A	25	
5/16 -18 USS Thread	3/4	00343	100
	1	00344	100
	1-1/4	00345	100
	1-1/2	00346	100
	1-3/4	06692	100
	2	00347	100
	2-1/4	06693	50
	2-1/2	00348	50
	2-3/4	06694	50
	3	01516	50
	3-1/2	01517	25
	4	01518	25
	4-1/2	01519	25
	5	01520	25
	5-1/2	01521	25
	6	01522	25
	7	01522A	25

Dia	Length	Part #	Qty
3/8 -16 USS Thread	3/4	00349	100
	1	00350	100
	1-1/4	00351	100
	1-1/2	00352	100
	1-3/4	06695	50
	2	00353	50
	2-1/4	06696	50
	2-1/2	00354	50
	2-3/4	06697	25
	3	01523	25
	3-1/2	01524	25
	4	01525	25
	4-1/2	01526	25
	5	01527	25
	5-1/2	01528	25
	6	01529	25
	7	01530	20
	8	01530A	20
	9	01530B	10
	10	01530C	10
	12	01530D	10
7/16 -14 USS Thread	1	00572	100
	1-1/4	06702	50
	1-1/2	00573	50
	1-3/4	06703	50
	2	00574	50
	2-1/4	06704	50
	2-1/2	00575	50
	3	00576	50
	3-1/2	00577	25
	4	00578	25
	5	01531	25
5-1/2	01532	25	
6	01533	25	

CARRIAGE BOLTS

GRADE 2

Uss Threads - Without Nuts - Plating: Zinc




Dia	Length	Part #	Qty
1/2 -13 USS Thread	1	06710	50
	1-1/4	06711	50
	1-1/2	00580	50
	2	00581	25
	2-1/2	00582	25
	3	00583	25
	3-1/2	00584	25
	4	00585	25
	4-1/2	00586	25
	5	00587	25
	5-1/2	01534	25
	6	01535	25
	6-1/2	06712	25
	7	06713	25
	7-1/2	06714	25
	8	06715	25
	9	06716	10
	10	06717	10
12	06718	10	
14	06719	10	
16	06720	10	
5/8 -11 USS Thread	1-1/2	06721	25
	2	06722	25
	2-1/2	06723	25
	3	06725	25
	3-1/2	06726	25
	4	06727	25
	4-1/2	06728	25
	5	06729	25
	5-1/2	06730	25
	6	06731	25
	6-1/2	06731A	25
	7	06732	10
8	06733	10	
9	06734	10	
10	06735	10	
12	06736	10	

Dia	Length	Part #	Qty
3/4 -10 USS Thread	2	06740	25
	2-1/2	06741	25
	3	06742	25
	3-1/2	06743	25
	4	06744	25
	4-1/2	06745	15
	5	06746	15
	5-1/2	06747	15
	6	06748	10
	7	06749	10
	8	06750	10
	10	06751	10
12	06752	10	

SHAKER SCREEN BOLTS

GRADE 5 - HEAT TREATED

Plain Steel




Dia	Length	Part #	Qty
1/2 -13 USS Thread	1-1/2	216095	50
	1-3/4	216115	50
	2	216135	50
	2-1/2	216155	25
	3	216175	25
	3-1/2	216195	25
	4	216215	25
	4-1/2	216235	25
	5	216255	25
5/8 -11 USS Thread	2	217135	25
	2-1/4	217145	25
	2-1/2	217155	25
	2-3/4	217165	25
	3	217175	25
	3-1/2	217195	25
	4	217215	25
	4-1/2	217235	25
	5	217255	25
5-1/2	217275	25	
	6	217295	20
3/4 -10 USS Thread	2	218135	20
	2-1/2	218155	20
	2-3/4	218165	20
	3	218175	20
	3-1/2	218195	20
	4	218215	20
	4-1/2	218235	20
	5	218255	20
	5-1/2	218275	20
	6	218295	20

#3 HEAD PLOW BOLTS

GRADE 5 & GRADE 8

Flat & Dome Heads



Grade 5 - Flat Head

Dia	Length	Part #	Qty
3/8 -16 USS Thread	1	202055	100
	1-1/2	202095	100
	2	202135	100
	2-1/4	202145	100
	2-1/2	202155	100
	3	202175	50
7/16 -14 USS Thread	1-1/2	203095	100
	2	203135	100
	2-1/2	203155	50
	3	203175	50
	3-1/2	203195	50
1/2 -13 USS Thread	4	203215	50
	1-1/2	204095	50
	1-3/4	204115	50
	2	204135	50
	2-1/4	204145	50
	2-1/2	204155	50
	3	204175	50
	3-1/2	204195	25
4	204215	25	

Grade 8 - Dome Head

Dia	Length	Part #	Qty
5/8 -11 USS Thread	2	205138	50
	2-1/4	205148	50
	2-1/2	205158	25
	2-3/4	205168	25
	3	205178	25
	3-1/2	205198	25
	4	205218	25
	4-1/2	205238	25
	5	205258	25
	3/4 -10 USS Thread	2	206128
2-1/2		206158	25
2-3/4		206168	25
3		206178	25
3-1/2		206198	25
4		206218	25
4-1/2		206238	25
5	206258	25	
7/8 - 9 USS Thread	2-1/2	207158	25
	3	207178	25
	3-1/2	207198	25
	4	207218	25
	4-1/2	207238	25
	5	207258	15
1" - 8 USS Thread	3	209178	10
	3-1/2	209198	10
	4	209218	10
	4-1/2	209238	10
	5	209258	10
	5-1/2	209278	10
6	209298	10	

FRAME BOLTS & NUTS


GRADE 8 - ALLOY

Black Phosphate & Oiled



Frame Bolts

Dia	Length	Part #	Qty
3/8 -16 USS Thread	1	3716BF	25
	1-1/4	3720BF	25
	1-1/2	3724BF	25
	1-3/4	3728BF	25
	2	3732BF	25
1/2 -13 USS Thread	1-1/4	5020BF	25
	1-1/2	5024BF	25
	1-3/4	5028BF	25
	2	5032BF	15
	2-1/4	5036BF	15
	2-1/2	5040BF	15
	2-3/4	5044BF	15
	3	5048BF	15
5/8 -11 USS Thread	1-1/2	6224BF	10
	1-3/4	6228BF	10
	2	6232BF	10
	2-1/4	6236BF	10
	2-1/2	6240BF	10
	2-3/4	6244BF	10
	3	6248BF	10
	3-1/2	6256BF	10
3/4 -10 USS Thread	2	7532BF	10
	2-1/4	7536BF	10
	2-1/2	7540BF	10
	3	7548BF	10
	3-1/2	7556BF	10



Flange Style Lock Nuts


Size	Part #	Qty
3/8-16	37NOR	25
1/2-13	50NOR	25
5/8-11	62NOR	25
3/4-10	75NOR	25

- » Manufactured to SAE J-429 specifications.
- » Coarse thread.
- » Indented hex flange.

MANIFOLD STUDS

GRADE 5 - HEAT TREATED

Plain Steel



Part #	A Dia & Length	B Dia & Length	C OAL	Qty
A19595	1/4-20 USS x 1/2	1/4-20 USS x 8"	9"	10
A9667	1/4-28 SAE x 3/8	1/4-20 USS x 7/16	1"	10
A9668	1/4-28 SAE x 1/2	1/4-20 USS x 1/2	1-1/4	10
A9669	1/4-28 SAE x 3/4	1/4-20 USS x 1/2	1-1/2	10
A9670	1/4-28 SAE x 1"	1/4-20 USS x 1/2	2"	10
A9673	5/16-24 SAE x 1/2	5/16-18 USS x 3/8	1"	10
A9674	5/16-24 SAE x 5/8	5/16-18 USS x 1/2	1-1/4	10
A9675	5/16-24 SAE x 5/8	5/16-18 USS x 3/4	1-1/2	10
A19596	5/16-24 SAE x 13/16	5/16-18 USS x 9/16	1-1/2	10
A9676	5/16-24 SAE x 7/8	5/16-18 USS x 9/16	1-3/4	10
A9677	5/16-24 SAE x 1"	5/16-18 USS x 9/16	2"	10
A9678	5/16-24 SAE x 1/2	5/16-18 USS x 1/2	2-1/2	10
A14824	5/16-24 SAE x 1-5/8	5/16-18 USS x 1/2	2-1/2	10
A9679	5/16-18 USS x 7/8	5/16-18 USS x 7/16	1-1/2	10
A9680	5/16-18 USS x 1"	5/16-18 USS x 7/16	2"	10
A9681	5/16-24 SAE x 1-1/2	5/16-18 USS x 5/8	3"	10
A9683	3/8-24 SAE x 3/4	3/8-16 USS x 1/2	1-1/2	10
A9684	3/8-24 SAE x 3/4	3/8-16 USS x 1/2	1-3/4	10
A9685	3/8-24 SAE x 3/4	7/16-14 USS x 7/8	1-7/8	10
A9686	3/8-24 SAE x 1"	3/8-16 USS x 5/8	2"	10
A9687	3/8-16 USS x 1-1/8	3/8-16 USS x 5/8	2"	10
A9688	3/8-24 USS x 1"	3/8-16 USS x 5/8	2-1/8	10
A14827	3/8-16 USS x 1-5/8	3/8-16 USS x 7/16	2-7/32	10
A19597	3/8-16 USS x 1/2	3/8-16 USS x 1-7/8	2-1/2	10
A9689	3/8-24 SAE x 1"	3/8-16 USS x 3/4	2-3/4	10
A12129	3/8-16 USS x 5/8	3/8-16 USS x 2"	3"	10
A9690	3/8-24 SAE x 2	3/8-16 USS x 5/8	3"	10
A9692	3/8-16 USS x 1-5/8	3/8-16 USS x 7/16	3-1/4	10
A14828	3/8-16 USS x 2-3/16	3/8-16 USS x 1/2	3-5/16	10
A9694	3/8-24 SAE x 1"	3/8-16 USS x 3/4	3-3/4	10
A9695	3/8-16 USS x 2"	3/8-16 USS x 3/4	4"	10
A9696	3/8-24 SAE x 1-7/8	3/8-16 USS x 1/2	4"	10
A9697	7/16-20 SAE x 3/4	7/16-14 USS x 1/2	1-1/2	10
A9698	7/16-20 USS x 13/16	7/16-14 USS x 3/4	1-3/4	10
A9699	7/16-20 SAE x 3/4	7/16-14 USS x 9/16	1-3/4	10
A9701	7/16-20 SAE x 7/8	7/16-14 USS x 3/4	2"	10
A9702	7/16-14 USS x 15/16	7/16-14 USS x 3/4	2"	10
A9705	7/16-20 SAE x 3/4	7/16-14 USS x 3/4	2-1/4	10
A9709	7/16-20 SAE x 7/8	7/16-14 USS x 3/4	2-1/2	10
A9711	7/16-14 USS x 1-1/4	7/16-14 USS x 3/4	2-1/2	10
A9712	7/16-20 SAE x 1-3/8	7/16-14 USS x 3/4	2-1/2	10
A9715	7/16-20 SAE x 1-13/16	7/16-14 USS x 3/4	3"	10
A19599	7/16-20 SAE x 1-7/8	7/16-14 USS x 5/8	3-1/4	10
A19598	7/16-14 USS x 1-7/8	7/16-14 USS x 3/4	3-1/4	10
A9727	1/2-20 SAE x 3/4	1/2-13 USS x 3/4	1-7/8	10
A9728	1/2-20 SAE x 15/16	1/2-13 USS x 13/16	2"	10
A9729	1/2-20 SAE x 1-1/8	1/2-13 USS x 3/4	2-1/4	10
A9731	1/2-20 SAE x 1"	1/2-13 USS x 3/4	2-1/2	10
A9732	1/2-20 SAE x 2"	1/2-13 USS x 3/4	3"	10
A9738	9/16-18 SAE x 1"	9/16-12 USS x 3/4	2-1/2	10
A9739	9/16-18 SAE x 1-1/4	9/16-12 USS x 1"	3"	10
A9743	5/8-18 SAE x 1"	5/8-11 USS x 3/4	2-1/2	10
A9744	5/8-11 USS x 1-1/2	5/8-11 USS x 13/16	2-5/8	10
A9745	5/8-18 SAE x 1-1/4	5/8-11 USS x 1"	3"	10
A9746	5/8-18 SAE x 1-1/2	5/8-11 USS x 1-1/4	3-1/2	10
A9748	3/4-10 USS x 1-9/16	3/4-10 USS x 1-1/16	2-13/16	10

THREADED ROD

Grade 2 & B-7 Alloy


GRADE 2 - ZINC PLATED


USS THREAD

Size	Part #	
	3 ft	6 ft
6-32	07702	-
8-32	07703	-
10-24	07704	-
1/4-20	07705	07720
5/16-18	07706	07721
3/8-16	07707	07722
7/16-14	07708	07723
1/2-13	07709	07724
9/16-12	07710	07725
5/8-11	07711	07726
3/4-10	07712	07727
7/8-9	07713	07728
1"-8	07714	07729
1-1/8-7	07715	07730
1-1/4-7	07716	07731
1-1/2-6	07717	07732

SAE THREAD

Size	Part #
	3 ft
10-32	07744
1/4-28	07745
5/16-24	07746
3/8-24	07747
7/16-20	07748
1/2-20	07749
9/16-18	07750
5/8-18	07751
3/4-16	07752
7/8-14	07753
1"-14	07754






For
Coupling Nuts
See Section 2

B-7 ALLOY STEEL

USS THREAD


Size	Part #
	3 ft
1/4-20	07760
5/16-18	07761
3/8-16	07762
7/16-14	07763
1/2-13	07764
9/16-12	07765
5/8-11	07766
3/4-10	07767
7/8-9	07768
1"-8	07769
1-1/8-7	07770
1-1/4-7	07771



- » A.S.T.M. specification #A193 grade B-7.
- » Full continuous cut thread.
- » Class 2A thread.

*** See Metric Section for Metric Threaded Rod ***
 *** See Stainless Section for Stainless Threaded Rod ***

SOCKET HEAD CAP SCREWS



ALLOY STEEL


Plain Steel - Black Oil Finish

Dia	Length	Part #		Qty
		USS	SAE	
# 0 - 80 USS Thread .050 Key	1/8	02747	—	100
	3/16	02748	—	100
	1/4	02749	—	100
	3/8	02750	—	100
# 1 - 72 USS Thread 1/16 Key	1/8	02751	—	100
	3/16	02752	—	100
	1/4	02753	—	100
	3/8	02754	—	100
# 2 - 56 USS Thread 5/64 Key	3/16	02600	—	100
	1/4	02601	—	100
	3/8	02602	—	100
	1/2	02603	—	100
	5/8	02603A	—	100
	3/4	02603B	—	100
	1	02603C	—	100
# 3 - 48 USS Thread 5/64 Key	3/16	02755	—	100
	1/4	02756	—	100
	3/8	02757	—	100
	1/2	02758	—	100
# 4 - 40 USS - 48 SAE Thread 3/32 Key	1/4	02604	—	100
	5/16	02604A	—	100
	3/8	02605	—	100
	1/2	02606	02606F	100
	5/8	02607	—	100
	3/4	02608	—	100
	1	02608A	—	100
# 5 - 40 USS Thread 3/32 Key	1/4	02609	—	100
	3/8	02610	—	100
	1/2	02611	—	100
	5/8	02612	—	100
	3/4	02613	—	100
# 6 - 32 USS - 40 SAE Thread 7/64 Key	1/8	02613C	—	100
	3/16	02613D	—	100
	1/4	02614	02614F	100
	5/16	02614A	—	100
	3/8	02615	02615F	100
	1/2	02616	02616F	100
	5/8	02617	02617F	100
	3/4	02918	—	100
	7/8	02919	—	100
	1	02620	—	100
	1-1/8	02620A	—	100

Dia	Length	Part #		Qty
		USS	SAE	
# 8 - 32 USS Thread 9/64 Key	1/4	02621	—	100
	3/8	02622	—	100
	1/2	02623	—	100
	5/8	02624	—	100
	3/4	02625	—	100
	7/8	02626	—	100
	1	02627	—	100
	1-1/4	02628	—	100
	1-1/2	02629	—	100
# 10 - 24 USS - 32 SAE Thread 5/32 Key	1/4	02629A	02717A	100
	3/8	02630	02718	100
	1/2	02631	02719	100
	5/8	02632	02720	100
	3/4	02633	02721	100
	7/8	02634	02722	100
	1	02635	02723	100
	1-1/4	02636	02724	50
	1-1/2	02637	02725	50
	1-3/4	02638	02726	50
	2	02639	02727	50
2-1/2	02639A	02727A	25	
3	02639B	02727B	25	
1/4 - 20 USS - 28 SAE Thread 3/16 Key	1/4	02639C	—	100
	3/8	02639D	—	100
	1/2	02640	02728	100
	5/8	02641	02729	100
	3/4	02642	02730	100
	7/8	02642A	—	100
	1	02643	02731	50
	1-1/4	02644	02732	50
	1-1/2	02645	02733	50
	1-3/4	02646	—	50
	2	02647	—	50
	2-1/4	02647A	—	25
	2-1/2	02648	—	25
	3	02649	02649F	25
	3-1/2	02650	—	25
4	02651	—	25	

SOCKET HEAD CAP SCREWS

ALLOY STEEL
Plain Steel - Black Oil Finish



Dia	Length	Part #		Qty
		USS	SAE	
5/16 - 18 USS - 24 SAE Thread 1/4 Key	1/2	02652	02652F	100
	5/8	02653	—	100
	3/4	02654	02734	50
	1	02655	02735	50
	1-1/4	02656	02736	25
	1-1/2	02657	02737	25
	1-3/4	02658	—	25
	2	02659	02738	25
	2-1/4	02659A	—	25
	2-1/2	02660	—	25
	2-3/4	02660A	—	25
	3	02661	—	25
	3-1/2	02662	—	25
4	02663	—	25	
3/8 - 16 USS - 24 SAE Thread 5/16 Key	3/8	02663A	—	50
	1/2	02664	02664F	50
	5/8	02665	—	25
	3/4	02666	02739	25
	7/8	02666A	—	25
	1	02667	02740	25
	1-1/4	02668	02741	25
	1-1/2	02669	02742	25
	1-3/4	02670	—	25
	2	02671	02743	25
	2-1/4	02672	02672F	25
	2-1/2	02673	—	25
	2-3/4	02673A	—	25
	3	02674	02674F	25
	3-1/2	02675	—	25
4	02676	—	25	
4-1/2	02676A	—	20	
5	02676B	—	20	
6	02676D	—	20	

Dia	Length	Part #		Qty	
		USS	SAE		
7/16 - 14 USS - 20 SAE Thread 3/8 Key	1/2	02676J	—	25	
	3/4	02677	—	25	
	7/8	02677A	—	25	
	1	02678	—	25	
	1-1/4	02679	—	25	
	1-1/2	02680	—	25	
	1-3/4	02681	—	25	
	2	02682	—	25	
	2-1/4	02682A	—	25	
	2-1/2	02683	—	25	
	3	02684	—	25	
	3-1/2	02684A	—	20	
	4	02684B	—	20	
	1/2 - 13 USS - 20 SAE Thread 3/8 Key	1/2	02684J	—	25
		5/8	02684K	—	25
3/4		02685	—	25	
7/8		02685A	—	25	
1		02686	02744	25	
1-1/4		02687	02687F	25	
1-1/2		02688	02745	25	
1-3/4		02689	02689F	25	
2		02690	02746	25	
2-1/4		02690A	—	25	
2-1/2		02691	—	25	
2-3/4		02691A	—	25	
3		02692	—	25	
3-1/2		02693	—	20	
4		02694	—	20	
4-1/2	02695	—	20		
5	02696	—	15		
5-1/2	02697	—	15		
6	02698	—	15		

- » Traceable.
- » Double heat treated.
- » Available in full case & keg quantities.

SOCKET HEAD CAP SCREWS

ALLOY STEEL
Plain Steel - Black Oil Finish



Dia	Length	Part #		Qty
		USS	SAE	
5/8 - 11 USS - 18 SAE Thread 1/2 Key	1-1/2	02699	—	10
	1-3/4	02700	02700F	10
	2	02701	02701F	10
	2-1/4	02701A	—	10
	2-1/2	02702	—	10
	2-3/4	02702A	02702AF	10
	3	02703	—	10
	3-1/2	02704	—	10
	4	02705	—	5
	4-1/2	02706	—	5
	5	02707	—	5
3/4 - 10 USS - 16 SAE Thread 5/8 Key	1-1/4	02707E	—	10
	1-1/2	02708	—	10
	1-3/4	02709	—	10
	2	02710	—	10
	2-1/4	02711	—	10
	2-1/2	02712	—	10
	2-3/4	02712A	—	5
	3	02713	—	5
	3-1/4	02713A	—	5
	3-1/2	02714	—	5
	4	02715	—	5
	4-1/2	02716	—	5
	5	02717	—	5
5-1/2	02717B	—	5	
6	02717C	—	5	
7/8 - 9 USS Thread 3/4 Key	2-1/2	02759	—	1
	3	02760	—	1
	3-1/2	02761	—	1
	4	02762	—	1
	4-1/2	02763	—	1
	5	02763A	—	1
	5-1/2	02763B	—	1
6	02763C	—	1	

Dia	Length	Part #		Qty
		USS	SAE	
1" - 8 USS Thread 3/4 Key	2-1/2	02764	—	1
	3	02765	—	1
	3-1/2	02766	—	1
	4	02767	—	1
	4-1/2	02768	—	1
	5	02769	—	1
	5-1/2	02770	—	1
	6	02771	—	1
1-1/4 - 7 USS Thread 7/8 Key	3	02772	—	1
	3-1/2	02773	—	1
	4	02774	—	1
	4-1/2	02775	—	1
	5	02776	—	1
	5-1/2	02777	—	1
	6	02778	—	1
	7	02779	—	1
	8	02780	—	1
	9	02781	—	1
10	02782	—	1	
1-1/2 - 6 USS Thread 1" Key	3	02783	—	1
	3-1/2	02784	—	1
	4	02785	—	1
	4-1/2	02786	—	1
	5	02787	—	1
	6	02788	—	1
	7	02789	—	1
	8	02790	—	1
	9	02791	—	1
	10	02792	—	1
12	02793	—	1	

FLAT HEAD SOCKET CAP SCREWS

ALLOY STEEL
Plain Steel - Black Oil Finish



1


Dia	Length	Part #		Qty
		USS	SAE	
# 4 - 40 USS Thread 1/16 Key	1/4	02800	—	100
	3/8	02801	—	100
	1/2	02802	—	100
	5/8	02802A	—	100
	3/4	02803	—	100
	1	02803A	—	100
# 5 - 40 USS Thread 5/64 Key	3/8	02803D	—	100
	1/2	02803E	—	100
	5/8	02803F	—	100
	3/4	02803G	—	100
# 6 - 32 USS Thread 5/64 Key	1/4	02804	—	100
	3/8	02805	—	100
	1/2	02806	—	100
	5/8	02806A	—	100
	3/4	02807	—	100
# 8 - 32 USS Thread 3/32 Key	3/8	02808	—	100
	1/2	02809	—	100
	5/8	02809A	—	100
	3/4	02810	—	100
	1	02811	—	100
# 10 - 24 USS - 32 SAE Thread 1/8 Key	1/4	—	02816D	100
	3/8	02811D	02816E	100
	1/2	02812	02817	100
	5/8	02812A	02817A	100
	3/4	02813	02818	100
	1	02814	02819	100
	1-1/4	02815	02820	100
	1-1/2	02816	02821	100
	1/2	02822	02828D	100
5/8	02822A	02828E	100	
3/4	02823	02828F	100	
1/4 - 20 USS - 28 SAE Thread 5/32 Key	1	02824	—	100
	1-1/4	02825	—	50
	1-1/2	02826	—	50
	1-3/4	02827	—	50
	2	02828	—	50

Dia	Length	Part #		Qty
		USS	SAE	
5/16 - 18 USS - 24 SAE Thread 3/16 Key	1/2	02829	—	100
	3/4	02830	02835F	100
	1	02831	—	100
	1-1/4	02832	—	50
	1-1/2	02833	—	50
	1-3/4	02834	—	50
	2	02835	—	50
	2-1/4	02835A	—	50
	2-1/2	02835B	—	50
	2-3/4	02835C	—	50
3/8 - 16 USS - 24 SAE Thread 7/32 Key	1/2	02835R	—	50
	5/8	02835S	02841D	50
	3/4	02836	—	50
	1	02837	—	50
	1-1/4	02838	—	50
	1-1/2	02839	—	50
7/16 - 14 USS Thread 1/4 Key	2	02840	—	50
	2-1/2	02841	—	50
	1	02842	—	25
	1-1/4	02843	—	25
	1-1/2	02844	—	25
1/2 - 13 USS - 20 SAE Thread 5/16 Key	1-3/4	02844A	—	25
	2	02845	—	25
	3/4	02845D	—	25
	1	02846	02852C	25
	1-1/4	02847	—	25
	1-1/2	02848	—	25
	1-3/4	02849	—	25
	2	02850	—	25
	2-1/2	02851	—	25
	3	02852	—	25
5/8 - 11 USS Thread 3/8 Key	1-1/4	02852F	—	10
	1-1/2	02852G	—	10
	2	02852H	—	10
	2-1/2	02852I	—	10
	3	02852J	—	10
3/4 - 10 USS Thread 1/2 Key	1-1/2	02852P	—	5
	2	02852Q	—	5
	2-1/2	02852R	—	5
	3	02852S	—	5

BUTTON SOCKET CAP SCREWS

ALLOY STEEL

Plain Steel - Black Oil Finish



Dia	Length	Part #		Qty
		USS	SAE	
# 2 - 56 USS Thread .050 Key	3/16	02900	—	100
	1/4	02901	—	100
	3/8	02902	—	100
	1/2	02903	—	100
# 3 - 48 USS Thread 1/16 Key	1/4	02903D	—	100
	3/8	02903E	—	100
	1/2	02903F	—	100
# 4 - 40 USS Thread 1/16 Key	5/8	02903G	—	100
	1/4	02904	—	100
	3/8	02905	—	100
# 5 - 40 USS Thread 5/64 Key	1/2	02906	—	100
	5/8	02906A	—	100
	1/4	02906D	—	100
# 6 - 32 USS Thread 5/64 Key	3/8	02906E	—	100
	1/2	02906F	—	100
	5/8	02906G	—	100
	1/4	02907	—	100
	5/16	02908	—	100
# 8 - 32 USS Thread 3/32 Key	3/8	02909	—	100
	1/2	02910	—	100
	5/8	02910A	—	100
	3/4	02910B	—	100
	1/4	02911	—	100
# 10 - 24 USS - 32 SAE Thread 1/8 Key	3/8	02912	—	100
	1/2	02913	—	100
	5/8	02914	—	100
	3/4	02915	—	100
	1/4	02916	02932	100
	5/16	02917	02933	100
	3/8	02918	02934	100
	1/2	02919	02935	100
	5/8	02920	02936	100
	3/4	02921	02937	100
7/8	02920A	02937A	100	
1	02921	02938	100	

Dia	Length	Part #		Qty
		USS	SAE	
1/4 - 20 USS Thread 5/32 Key	3/8	02921X	—	50
	1/2	02922	—	50
	5/8	02923	—	50
	3/4	02924	—	50
	1	02925	—	50
5/16 - 18 USS - 24 SAE Thread 3/16 Key	3/8	02925X	—	50
	1/2	02926	02928F	50
	3/4	02927	02928G	50
	1	02928	—	50
	1-1/4	02928A	—	50
	1-1/2	02928B	—	50
	2	02928C	—	25
3	02928D	—	25	
3/8 - 16 USS Thread 7/32 Key	5/8	02928M	—	25
	3/4	02929	—	25
	1	02930	—	25
1/2 - 13 USS - 20 SAE Thread 5/16 Key	1-1/4	02931	—	25
	1-1/2	02931A	—	25
	2	02931K	—	25
5/8 - 11 USS Thread 3/8 Key	1-1/4	02931H	02931P	25
	1-1/4	02931I	—	25
		02931J	—	25
		02931T	—	10

- » High strength alloy steel.
- » Manufactured to S.A.E. grade & physical requirements.
- » Accurate burr-free deep hex socket.
- » Chamfered point.
- » Precision class 3 thread fit.

SOCKET SET SCREWS - Cup Point

ALLOY STEEL
Plain Steel - Black Oil Finish




Dia	Length	Part #		Qty	
		USS	SAE		
# 2	1/8	11000	—	100	
	3/16	11001	—	100	
	- 56 USS	1/4	11002	—	100
	Thread	3/8	11003	—	100
	.035 Key	1/2	11004	—	100
# 4	1/8	11030	11031	100	
	3/16	11032	11033	100	
	1/4	11034	11035	100	
	- 40 USS	5/16	11036	—	100
	- 48 SAE	3/8	11038	11039	100
	Thread	1/2	11041	—	100
	.050 Key	5/8	11042	—	100
# 5	1/8	11006	—	100	
	3/16	11007	—	100	
	1/4	11008	—	100	
	- 40 USS	5/16	11009	—	100
	Thread	3/8	11010	—	100
	1/16 Key	1/2	11011	—	100
# 6	1/8	11043	11044	100	
	3/16	11045	11046	100	
	1/4	04214	11047	100	
	5/16	04215	11048	100	
	3/8	04445	11049	100	
	- 32 USS	7/16	04217	—	100
	- 40 SAE	1/2	04218	—	100
	Thread	5/8	11050	—	100
	1/16 Key	3/4	11051	—	100
		7/8	11052	—	100
# 8	1	11053	—	100	
	1/8	11054	11055	100	
	3/16	11056	11057	100	
	1/4	04219	11058	100	
	5/16	04220	11059	100	
	3/8	04221	11060	100	
	- 32 USS	7/16	04222	—	100
	- 36 SAE	1/2	04223	11061	100
	Thread	5/8	11062	—	100
	5/64 Key	3/4	11063	—	100
		7/8	11064	—	100
	1	11065	—	100	

Dia	Length	Part #		Qty	
		USS	SAE		
# 10	3/16	04385	04997	100	
	1/4	04386	04224	100	
	5/16	04387	04225	100	
	3/8	04998	04226	100	
	7/16	04999	04227	100	
	- 24 USS	1/2	05000	04228	100
	- 32 SAE	5/8	11066	11067	100
	Thread	3/4	11068	11069	100
	3/32 Key	7/8	11070	—	100
		1	11071	11072	100
1/4	1-1/4	11073	11074	100	
	3/16	11075	11076	100	
	1/4	04388	05001	100	
	5/16	04389	05002	100	
	3/8	04390	05003	100	
	7/16	04391	05004	100	
	1/2	04392	05005	100	
	- 20 USS	5/8	11077	11078	100
	- 28 SAE	3/4	11079	11080	100
	Thread	7/8	11081	—	100
1/8 Key	1	11082	11083	100	
5/16	1-1/4	11084	11085	100	
	1-1/2	11086	—	100	
	1-3/4	11087	—	100	
	2	11088	—	100	
	1/4	04393	05006	100	
	5/16	04394	05007	100	
	3/8	04395	05008	100	
	7/16	04396	05009	100	
	1/2	04397	05010	100	
	5/8	11089	11090	100	
- 18 USS	3/4	11091	11092	100	
- 24 SAE	7/8	11093	—	100	
Thread	1	11094	11095	100	
5/32 Key	1-1/4	11096	11097	100	
	1-1/2	11098	—	100	
	1-3/4	11099	—	100	
	2	11100	—	100	

SOCKET SET SCREWS - Cup Point

ALLOY STEEL

Plain Steel - Black Oil Finish




Dia	Length	Part #		Qty
		USS	SAE	
3/8 - 16 USS - 24 SAE Thread 3/16 Key	1/4	11101	11102	100
	5/16	04398	05011	100
	3/8	04399	05012	100
	7/16	04400	05013	100
	1/2	04401	05014	100
	5/8	04402	05015	100
	3/4	11103	11104	100
	7/8	11105	—	100
	1	11106	11107	100
	1-1/4	11108	11109	100
	1-1/2	11110	11111	100
	1-3/4	11112	—	100
	2	11113	—	100
	2-1/2	11114	—	100
7/16 - 14 USS - 20 SAE Thread 7/32 Key	3/8	04403	05016	100
	7/16	11115	11116	100
	1/2	04404	05017	100
	5/8	04405	—	100
	3/4	11117	—	100
	7/8	11118	—	100
	1	11119	—	100
	1-1/4	11120	—	100
	1-1/2	11121	—	100
	1-3/4	11122	—	100
	2	11123	—	50
2-1/2	11124	—	50	
1/2 - 13 USS - 20 SAE Thread 1/4 Key	3/8	04406	—	100
	7/16	04407	—	100
	1/2	04408	05021	100
	5/8	04409	05022	100
	3/4	11125	11126	100
	7/8	11127	—	100
	1	11128	11129	100
	1-1/4	11130	—	100
	1-1/2	11131	—	100
	1-3/4	11132	—	50
	2	11133	—	50
	2-1/2	11134	—	50
	3	11135	—	50

Dia	Length	Part #		Qty
		USS	SAE	
5/8 - 11 USS - 18 SAE Thread 5/16 Key	1/2	11136	—	50
	5/8	11137	11138	50
	3/4	11139	—	50
	7/8	11140	—	50
	1	11141	11142	50
	1-1/4	11143	—	50
	1-1/2	11144	—	50
	1-3/4	11145	—	50
	2	11146	—	50
	2-1/2	11147	—	50
	3	11148	—	50
3/4 - 10 USS - 16 SAE Thread 3/8 Key	5/8	11149	—	50
	3/4	11150	—	50
	7/8	—	—	50
	1	11152	—	50
	1-1/4	11153	—	50
	1-1/2	11154	—	50
	1-3/4	11155	—	50
	2	11156	—	25
2-1/2	11157	—	25	
3	11158	—	25	
7/8 - 9 USS - 14 SAE Thread 1/2 Key	7/8	11159	—	25
	1	11160	—	25
	1-1/4	—	—	25
	1-1/2	11162	—	25
	1-3/4	—	—	25
	2	11164	—	25
	2-1/2	11165	—	25
3	11166	—	25	

- » Class 3A thread fit standard.
- » Rockwell "C" hardness 47-53.
- » Manufactured to ASA B 18.3 1961 standard.

SOCKET SET SCREWS - Knurl Point

1



ALLOY STEEL
Plain Steel - Black Oil Finish


Dia	Length	Part #		Qty
		USS	SAE	
# 4 - 40 USS Thread .050 Key	1/8	04000	—	100
	3/16	04001	—	100
	1/4	04002	—	100
	5/16	04003	—	100
	3/8	04004	—	100
# 6 - 32 USS Thread 1/16 Key	1/8	04005	—	100
	3/16	04006	—	100
	1/4	04007	—	100
	5/16	04008	—	100
	3/8	04009	—	100
	1/2	04010	—	100
# 8 - 32 USS Thread 5/64 Key	5/8	04011	—	100
	1/8	04012	—	100
	3/16	04013	—	100
	1/4	04014	—	100
	5/16	04015	—	100
# 10 - 24 USS - 32 SAE Thread 3/32 Key	3/8	04016	—	100
	1/2	04017	—	100
	5/8	04018	—	100
	3/4	04019	—	100
	3/16	04020	04029	100
	1/4	04021	04030	100
	5/16	04022	04031	100
	3/8	04023	04032	100
1/2	04024	04033	100	
5/8	04025	04034	100	
3/4	04026	04035	100	
7/8	04027	—	100	
1	04028	04036	100	
1/4 - 20 USS - 28 SAE Thread 1/8 Key	1/4	04037	04045	100
	5/16	04038	04046	100
	3/8	04039	04047	100
	1/2	04040	04048	100
	5/8	04041	04049	100
	3/4	04042	04050	100
	1	04043	04051	100
	1-1/4	04044	04052	100

Dia	Length	Part #		Qty
		USS	SAE	
5/16 - 18 USS - 24 SAE Thread 5/32 Key	5/16	04053	04061	100
	3/8	04054	04062	100
	1/2	04055	04063	100
	5/8	04056	04064	100
	3/4	04057	04065	100
	7/8	04058	—	100
	1	04059	04066	100
1-1/4	04060	04067	100	
3/8 - 16 USS - 24 SAE Thread 3/16 Key	3/8	04068	04075	100
	1/2	04069	04076	100
	5/8	04070	04077	100
	3/4	04071	04078	100
	7/8	04072	—	100
	1	04073	04079	100
1-1/4	04074	04080	100	
1/2 - 13 USS Thread 1/4 Key	1/2	04081	—	50
	5/8	04082	—	50
	3/4	04083	—	50
	1	04084	—	50
	1-1/4	04085	—	50

SOCKET SET SCREWS

CONE POINT & HALF DOG POINT

Alloy Steel - Plain Steel - Black Oil Finish



Cone Point

Dia	Length	Part #		Qty
		USS	SAE	
# 4	- 40 USS	04100	—	100
	Thread	04101	—	100
# 5	- 40 USS	04102	—	100
	Thread	04103	—	100
# 6	1/8	04104	—	100
	3/16	04105	—	100
	1/4	04106	—	100
	3/8	04107	—	100
# 8	3/16	04108	—	100
	1/4	04109	—	100
	5/16	04110	—	100
	3/8	04111	—	100
# 10	1/2	04112	—	100
	3/16	—	04117	100
	1/4	04113	04118	100
	5/16	04114	—	100
1/4	3/8	04115	—	100
	1/2	04116	—	100
	1/4	04119	04126	100
	5/16	04120	—	100
	3/8	04121	04127	100
	1/2	04122	—	100
	5/8	04123	—	100
	3/4	04124	—	100
5/16	1	04125	—	100
	5/16	04128	04134	100
	3/8	04129	04135	100
	1/2	04130	—	100
	5/8	04131	—	100
	3/4	04132	—	100
3/8	1	04133	—	100
	3/8	04136	04141	100
	1/2	04137	04142	100
	5/8	04138	—	100
	3/4	04139	—	100
1/2	1	04140	—	100
	1/2	04143	—	50
	5/8	04144	—	50
	3/4	04145	—	50
1/4 Key	1	04146	—	50

Half Dog Point

Dia	Length	Part #		Qty
		USS	SAE	
# 8	3/16	04150	—	100
	1/4	04151	—	100
	5/16	04152	—	100
	3/8	04153	—	100
	1/2	04154	—	100
# 10	3/16	04155	04160	100
	1/4	04156	04161	100
	5/16	04157	—	100
	3/8	04158	—	100
	1/2	04159	—	100
1/4	1/4	04162	04169	100
	5/16	04163	04170	100
	3/8	04164	—	100
	1/2	04165	—	100
	5/8	04166	—	100
	3/4	04167	—	100
	1	04168	—	100
	5/16	04171	—	100
5/16	3/8	04172	04177	100
	1/2	04173	—	100
	5/8	04174	—	100
	3/4	04175	—	100
	1	04176	—	100
	3/8	04178	04184	100
3/8	1/2	04179	04185	100
	5/8	04180	—	100
	3/4	04181	—	100
	1	04182	—	100
	1-1/4	04183	—	100
1/2	1/2	04186	—	50
	5/8	04187	—	50
	3/4	04188	—	50
	1	04189	—	50
	1-1/4	04190	—	50
5/8	5/8	—	04193	25
	1	04191	—	25
	1-1/4	04192	—	25



FAS-KIT[®] BOLT & CAP SCREW ASSORTMENTS



Plastic Box Assortments		
Part Number	Description	Number of Pieces
FK02000	Gr 5 USS Hex Head Cap Screws - With Nuts & Washers	306
FK02005	Gr 5 SAE Hex Head Cap Screws - With Nuts & Washers	306
FK02100	Gr 8 USS Hex Head Cap Screws - With Nuts & Washers	306
FK02105	Gr 8 SAE Hex Head Cap Screws - With Nuts & Washers	306
FK03100	Socket Head Cap Screws - Alloy Steel	400
FK03200	Socket Set Screws - Cup Point - Alloy Steel	550

Metal Tray Assortments			
Small Drawer	Large Drawer	Description	Number of Pieces
FK11750	FK51750	Hanger Bolts	120
-	FK52600	Gr 5 USS Hex Head Cap Screws	400
-	FK52610	Gr 5 USS Hex Head Cap Screws - With Nuts	600
-	FK52650	Gr 5 SAE Hex Head Cap Screws	400
-	FK52660	Gr 5 SAE Hex Head Cap Screws - With Nuts	600
-	FK52700	Gr 8 USS Hex Head Cap Screws	400
-	FK52710	Gr 8 USS Hex Head Cap Screws - With Nuts	600
-	FK52750	Gr 8 SAE Hex Head Cap Screws	400
-	FK52760	Gr 8 SAE Hex Head Cap Screws - With Nuts	600
FK12780	FK52780	Carriage Bolts - With Nuts	395
FK12790	FK52790	Hex Head Lag Bolts	310
FK15000	FK55000	Socket Head Cap Screws	750
FK15050	FK55050	Flat Socket Head Cap Screws	770
FK15100	FK55100	Button Socket Head Cap Screws	830
FK15150	FK55150	Socket Set Screws - Cup Point	1405
FK15160	FK55160	Socket Set Screws - Knurl Point	1405
FK15170	FK55170	Socket Set Screws - Cone Point	1380
FK15180	FK55180	Socket Set Screws - Cone Point	705
-	FK59800	Cylinder Head & Manifold Studs	100
-	FK59850	Cylinder Head & Manifold Studs	80

*No matter what industry you work in, we
can supply the products you need.*



Beltway Supply, Inc.
7432 Alban Station Blvd
Suite B236
Springfield, VA 22150

Office [703] 372-5520
Toll Free [877] 216-7822
Fax [703] 372-5521
info@beltwaysupply.com